
ISSN 2689-0852

BIOTECHNOLOGY KIOSK



VOLUME 4, ISSUE 4 APR 2022





Biotechnology Kiosk

www.biotechkiosk.com



Executive Publishers

Megha Agrawal, PhD

(Biotechnology)

Publisher and Editor

Expertise:

Neuroscience, Stroke, Pharmacology, Toxicology, Microbiology, Antiaging, Gene Therapy and Immunology

Email: megha@biotechkiosk.com meghaagra@gmail.com Shyamasri Biswas, PhD

(Biotechnology)

Publisher and Editor

Expertise:

Structural Biology, Enzyme Technology, Protein Crystallography, Molecular Biology and Mass Spectrometry

Email: shyabiswas@biotechkiosk.com shyabiswas@gmail.com

Editorial, Sales & Circulation Office

1330 NW 6th Street Suite A2, Gainesville FL-32601, USA Phone: 386-518-9411 Email: usappg22@gmail.com publisher@biotechkiosk.com

www.biotechkiosk.com
ISSN 2689-0852
One stop shop for all things biotech



From the Publisher's Desk

Welcome to Biotechnology Kiosk!

The April'2022 issue of BK is now live for our readers with the regular features. This issue includes a perspective on medical lasers and diagnostics and the regular section on editor picks.

We hope our readers will enjoy reading these news and views on the current cutting-edge topics that include latest research breakthroughs in different areas of medicine and biotechnology.

We look forward to receiving your feedback. We do hope that you will enjoy reading this issue of Biotechnology Kiosk. Please do write to us with your comments.

Your suggestions are always appreciated.

Dr. Megha Agrawal & Dr. Shyamasri Biswas.

Editors-in-Chief, Biotechnology Kiosk



Biotechnology Kiosk

www.biotechkiosk.com



Contents

Volume 4, Issue 4	Apr 2022
Perspective	
Editor's Picks: Biotechnology Advances around the	World
Epigenetic biomarkers can predict pre-term birth	33
Link between artificial sweeteners and cancer risk	34



Biotechnology Kiosk

www.biotechkiosk.com



The Emergence of Medical Laser based Diagnostics to Battle against **Complex Diseases**

Pradeep Kumar Singh^{1*} and Shweta Kushmakar Singh² ¹Department of Microbiology, S.M.M.H. Medical College, Saharanpur, UP, India ²Department of Pediatrics, All India institute of medical sciences, New Delhi, India.

Abstract

Lately, we have witnessed an explosive growth of innovative lasers and optical devices for clinical diagnostics and therapeutics including assessing human health and treating complex diseases. It is believed that light and optical techniques can have profound impacts on modern medicine. To this end, advances in medical lasers enabled biomedical optics have resulted in sophisticated technologies that integrate several other technologies including photonics with nanotechnology, biomaterials and genetic engineering, to name a few. Especially, novel biomedical laser applications based on new laser types or novel energy delivery systems could increase the usable range of laser-tissue interactions, and thus improve target-oriented, high precision application of laser radiation in clinical practice. Here, we have presented a perspective analysis of recent demonstrations of medical lasers for complex diagnostics including clinical diagnostics applications.

Keywords: Medical laser, diagnostics, Alzheimer's disease, skin cancer, pathogens

* Corresponding author: Dr. Pradeep Kumar Singh E-mail address: pksingh1976a@gmail.com

DOI: https://doi.org/10.37756/bk.22.4.4.1

Article type: Perspective

Received: March 2, 2022 **Revised:** March 20, 2022 Accepted: March 22, 2022

Please cite this article as: Singh PK, The Emergence of Medical Laser based Diagnostics to Battle against Complex Diseases, Biotechnol. kiosk, Vol 4, Issue 4, PP: 1-8 (2022); DOI: https://doi.org/10.37756/bk.22.4.4.1.

Introduction

Medical laser applications have manifold dimensions that involve advanced technologies. These applications are aimed to meet current challenges in clinical diagnostics and therapeutics to battle against complex diseases such as blood borne pathogens, skin cancer and cardiovascular and neurodegenerative diseases, to name a few. Medical laser based diagnostic technologies are capable of addressing a wide range of health care issues that could have significant impact in the future on large sectors of the population. With respect to recent research activities and ongoing innovative developments, researchers have shown short- to mid-term improvements of both clinical diagnostics and therapeutic procedures as well as for the extension of the applicability of established techniques for new medical indications. For example, it has been shown that novel biomedical laser applications based on new laser types or innovative energy delivery systems could increase the usable range of laser-tissue interactions that could improve target-oriented, high precision application of laser radiation in clinical practice. Studies have indicated that these new energy delivery techniques together with innovative key medical techniques that are now translational stage into the clinics could pave the way to many future breakthroughs in medical diagnostics [1-3-4].

With respect to clinical applications, researchers have shown the promise of optical biopsy and nondestructive diagnosis techniques. However, these techniques still have to overcome challenges to be recognized as standard techniques for commercial applications. While histopathology of excised tissue samples is still considered the gold standard for diagnosis, latest research has focused on developing new non-invasive laser and photonicsbased diagnostic techniques. A significant focus has been on oncology to develop laser-based techniques that rely on the physical and biochemical changes that precede or mirror malignant changes within tissue and involve simple optical tissue interrogation techniques. Several studies have shown their accuracy in terms sensitivity specificity that of and demonstrated the potential for a cost-effective,

Here, we will take a look at some of the notable applications of laser based diagnostic tools that have been employed to combat complex medical conditions.

real-time, in-situ diagnosis for specific diseases

and conditions [5-6-7-8-9-10-11-12-13].

Detection of Pathogens in Blood Borne Infections

It is a known fact that the ability to detect and identify pathogens in blood borne infections is very important for either patient treatment/monitoring and also to make sure the

safety of the donor blood supply. The existing diagnostic methodology for the detection of an infection and the identification of the responsible organism typically requires up to 72 hours depending on the pathogen. This is also dependent on the use of highly skilled personnel along with complex sample preparation. Additionally, it often requires transport of a blood sample to a microbiology laboratory for analysis. overcome these challenges, the ability to rapidly diagnose blood borne infections on-site that does not require simple sample preparation and also highly skilled personnel is currently needed. It is believed that rapid detection would greatly enhance the ability to identify, contain, and treat blood borne infections. This can also greatly reduce the time needed to screen donated blood for infections. Moreover, the development of a blood diagnostic with these capabilities is considered a significant advancement that can enable rapid screening of patients for infections and treatments immediately.

To this end, researchers have demonstrated point-of-care diagnostic instrumentation that is based on the analysis of spectra collected from a series of laser sparks formed on a blood sample. The methodology is known as Laser-Induced Breakdown Spectroscopy (LIBS), which is an established spectrochemical analysis technique. In this process, a laser pulse is used to simultaneously vaporize a small sample mass and excite the

resulting atoms to emit light via formation of a hot plasma on the sample surface. Subsequently, light from the plasma is collected, spectrally resolved and finally recorded. Further, the instrument has been shown to be programmable for multiplex detection. This allows the programming to be expanded as new algorithms are developed to detect additional infections. Therefore, it is thought that a laser-based approach can achieve sensitive, multiplex detection with minimal sample preparation and provide rapid results. These important properties together with the flexibility to add new agent detection by simply adjusting the detection programming make it a promising tool for clinical diagnosis [14].

The recent studies have focused on clinical diagnostics of newly emerging agents and to screen simultaneously for multiple infectious agents. To this end, laser-based diagnostic techniques have been demonstrated to rapidly detect the presence of parasites, bacteria and viruses in human blood. For example, researchers have successfully demonstrated differentiation of blood spiked with viruses, bacteria, or protozoan parasites. This was achieved at clinically relevant levels using six blood types (O+, O-, AB+, A+, A-, B+) from different individuals with blood samples. Spiked samples were shown to be useful to detect pathogens at low concentrations in human blood using multivariate methods on carefully controlled samples. This showed the

ability to detect blood samples spiked with the bacteria *S. aureus* and *Yersinia* pseudotuberculosis (Y. pseudotuberculosis), the parasite *Trypanosoma cruzi* (T. cruzi) and the Human Immunodeficiency Virus (HIV-1) by analysis of LIBS spectra [14].

Diagnosis of Alzheimer's disease using Laser-Induced Breakdown Spectroscopy and Machine Learning

Alzheimer's disease (AD) is known as a progressive incurable neurodegenerative disease and considered a major health condition in aging population worldwide. The magnitude of devastation caused by AD can be understood by an estimate that the number of AD cases in the US

alone will exceed 20 million by the year 2050. It is believed that the related healthcare costs will reach \$1 trillion. It is widely recognized that an early diagnosis that allows for non-invasive cost-effective tests for AD along with clear discrimination of AD from other dementias is pivotal for an efficient AD management. This is vital for the success of clinical trials of drug candidates. Recently, researchers proposed a minimally invasive approach to medical diagnosis based on LIBS liquid biopsy technique. They employed easily harvested biological fluids, such as blood, urine or saliva that were deposited and dried on solid substrates prior to laser irradiation (Figure 1) [15].




Figure 1: (a-b): LIBS spectra of the blood plasma of an AD patient are shown. The plasma is deposited on a Si substrate [Source: Spectrochim Acta Part B Atomic Spectroscopy (2020)].

In this study, researchers proposed the combined use of LIBS and machine learning for the

diagnosis of AD using biomedical fluids. They analyzed micro-drops of plasma from a cohort of

AD patients and HC and focused on distinguishing the two classes with a data analysis approach based on the use of LIBS difference spectra. This study paves the way to further investigations on the potential of the combined use of LIBS and multivariate statistical approaches to analyze rapidly and relatively simply a large number of biomedical samples for the diagnosis of asymptomatic diseases [15].

Optical Coherence Tomography and Confocal Laser Scanning Microscopy: Non-Invasive Imaging for in-vivo Analysis to Combat Skin Cancer Optical Coherence Tomography (OCT) is considered a non-invasive imaging technique with an NIR laser source. OCT is employed for in-vivo skin analysis that offers real-time, cross-sectional evaluations of the skin. In the OCT process, the backscattered light from a given depth in the tissue is recombined with a static reference signal. This is followed by an interference occurs in the event of matching of both path lengths within the so-called coherence length of the light source. This enables create both two-dimensional (2D) and three-dimensional (3D) images (Figure 2) [16].




Figure 2: Schematic illustration of a swept source (SS) OCT imaging system (μ is the reference signal and A is the interference signal producing the image of the different layers of the skin) [Source: Sensors (Basel) (2021)].

OCT angiography (OCTA) is usually employed for the visualization of vascular patterns in the

skin angiogenesis (a sign of growth and spread of cancers) that is considered helpful in improving

diagnostic accuracy [17]. Another emerging technique is the confocal laser scanning microscopy (CLSM), which is a promising in-vivo and ex-vivo technique for diagnostics in clinical settings. CLSM enables a quasi-histologic view of a given tissue and that does not require a biopsy. The technique is based on refractive index of cell structures that serve as endogenous

chromophores, which allows reaching a depth of exploration of 200 µm [18]. In a recent study, researchers demonstrated in-vivo CLSM in reflectance and fluorescent mode for real-time pathological examination of freshly excised specimens for diagnostic purposes. This allowed for the evaluation of margin clearance after excision in Mohs surgery (Figure 3) [18].




Figure 3: (Left) Schematic illustration of optical principles of confocal laser scanning microscopy. (Right) (a-d) Dermoscopy of a melanoma in-situ is shown that include in-vivo reflectance confocal microscopy showing several pagetoid cells (yellow stars) at the epidermal level and atypical cells at dermo-epidermal junction (yellow arrows) and a typical melanocyte (white arrows) [Source: Appl. Sci. (2021)].

Conclusion

Laser based diagnostic tools have proven to be very effective in the early detection and intervention in several complex diseases. Several techniques have been shown in recent studies that offer hope to combat a number of diseases that include blood borne pathogens, neurodegenerative diseases and skin cancer, to name a few. We anticipate further development of laser diagnosis in the near future for non-invasive and early detection of diseases for timely intervention and cure.

Reference

- 1. Sroka R, Lilge L. Laser-advanced new methods for diagnostics and therapeutics. *Photonics & Lasers in Medicine*. **2016**, *5* (1), 1-4. DOI: http://doi.org/10.1515/plm-2015-0046.
- Sroka R, Stepp H, Hennig G, Brittenham G M, Ruhm A, Lilge L. Medical laser application: translation into the clinics. *Journal of biomedical optics*. 2015, 20 (6), 061110. DOI: http://doi.org/10.1117/1.JBO.20.6.061110.
- 3. Geoghegan S. Lasers in medical diagnosis and therapy by Stephan Wieneke and Christoph Gerhard. *Australasian physical & engineering sciences in medicine*. **2019**, 42 (3), 899-900. DOI: http://doi.org/10.1007/s13246-019-00777-y.
- 4. Coda S, Siersema P D, Stamp G W, Thillainayagam A V. Biophotonic endoscopy: a review of clinical research techniques for optical imaging and sensing of early gastrointestinal cancer. *Endoscopy international open.* **2015**, *3* (5), E380-92. DOI: http://doi.org/10.1055/s-0034-1392513.
- 5. Yun S H, Kwok S J J. Light in diagnosis, therapy and surgery. *Nature biomedical engineering*. **2017**, *1*, DOI: http://doi.org/10.1038/s41551-016-0008.
- 6. Srinivasan R. Ablation of polymers and biological tissue by ultraviolet lasers. *Science*. **1986**, 234

- (4776), 559-65. DOI: http://doi.org/10.1126/science.3764428.
- 7. Jacques S L. Optical properties of biological tissues: a review. *Physics in medicine and biology.* **2013**, 58 (11), R37-61. DOI: http://doi.org/10.1088/0031-9155/58/11/R37.
- 8. Humar M, Yun S H. Intracellular microlasers. *Nature photonics*. **2015**, *9* (9), 572-576. DOI: http://doi.org/10.1038/nphoton.2015.129.
- Kut C, Chaichana K L, Xi J, Raza S M, Ye X, McVeigh E R, Rodriguez F J, Quinones-Hinojosa A, Li X. Detection of human brain cancer infiltration ex vivo and in vivo using quantitative optical coherence tomography. *Science translational medicine*. 2015, 7 (292), 292ra100. DOI: http://doi.org/10.1126/scitranslmed.3010611.
- Friedman A A, Letai A, Fisher D E, Flaherty K T. Precision medicine for cancer with next-generation functional diagnostics. *Nature reviews. Cancer.* 2015, 15 (12), 747-56. DOI: http://doi.org/10.1038/nrc4015.
- 11. Ming K, Kim J, Biondi M J, Syed A, Chen K, Lam A, Ostrowski M, Rebbapragada A, Feld J J, Chan W C. Integrated quantum dot barcode smartphone optical device for wireless multiplexed diagnosis of infected patients. *ACS nano.* **2015**, *9* (3), 3060-74. DOI: http://doi.org/10.1021/nn5072792.
- 12. Pritzker K P H, Nieminen H J. Needle Biopsy Adequacy in the Era of Precision Medicine and Value-Based Health Care. *Archives of pathology & laboratory medicine*. **2019**, *143* (11), 1399-1415. DOI: http://doi.org/10.5858/arpa.2018-0463-RA.
- 13. Hollon T C, Pandian B, Adapa A R, Urias E, Save A V, Khalsa S S S, Eichberg D G, D'Amico R S, Farooq Z U, Lewis S, Petridis P D, Marie T, Shah A H, Garton H J L, Maher C O, Heth J A, McKean E L, Sullivan S E, Hervey-Jumper S L, Patil P G, Thompson B G, Sagher O, McKhann G M, 2nd, Komotar R J, Ivan M E, Snuderl M, Otten M L, Johnson T D, Sisti M B, Bruce J N, Muraszko K M, Trautman J, Freudiger C W, Canoll P, Lee H, Camelo-Piragua S, Orringer D A. Near real-time intraoperative brain tumor diagnosis using stimulated Raman histology and deep neural networks. *Nature medicine*. **2020**, *26* (1), 52-58. DOI: http://doi.org/10.1038/s41591-019-0715-9.
- 14. Multari R A, Cremers D A, Nelson A, Karimi Z, Young S, Fisher C, Duncan R. The use of laser-

- based diagnostics for the rapid identification of infectious agents in human blood. *Journal of applied microbiology.* **2019**, *126* (5), 1606-1617. DOI: http://doi.org/10.1111/jam.14222.
- Gaudiuso R, Ewusi-Annan E, Xia W, Melikechi N. Diagnosis of Alzheimer's disease using laser-induced breakdown spectroscopy and machine learning. *Spectrochimica acta. Part B, Atomic spectroscopy.* 2020, 171, DOI: http://doi.org/10.1016/j.sab.2020.105931.
- Rey-Barroso L, Pena-Gutierrez S, Yanez C, Burgos-Fernandez F J, Vilaseca M, Royo S. Optical Technologies for the Improvement of Skin Cancer Diagnosis: A Review. Sensors. 2021, 21 (1), DOI: http://doi.org/10.3390/s21010252.
- 17. Deegan A J, Talebi-Liasi F, Song S, Li Y, Xu J, Men S, Shinohara M M, Flowers M E, Lee S J, Wang R K. Optical coherence tomography angiography of normal skin and inflammatory dermatologic conditions. *Lasers in surgery and medicine*. **2018**, *50* (3), 183-193. DOI: http://doi.org/10.1002/lsm.22788.
- 18. Guida S, Arginelli F, Farnetani F, Ciardo S, Bertoni L, Manfredini M, Zerbinati N, Longo C, Pellacani G. Clinical Applications of In Vivo and Ex Vivo Confocal Microscopy. *Applied Sciences*. **2021**, *11* (5), 1979.



Rights and Permissions

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third-party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/

Creative Commons This is an open access article distributed under the terms of the Creative Commons CC BY license, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. You are not required to obtain permission to reuse this article. To request permission for a type of use not listed, please contact Biotechnology Kiosk.

Biotechnology Advances around the World Editor's Picks

Every issue of Biotechnology Kiosk presents select latest research news picked by the editors-in-chief on significant research breakthroughs in different areas of biotechnology around the world. The aim is to promote further R&D in all of these cutting-edge areas of biotechnology. The editors have compiled and included the following innovations and breakthroughs to highlight the latest biotechnology advances.



Dr. Megha Agrawal Co Editor-in-Chief



Dr. Shyamasri Biswas Co Editor-in-Chief



Epigenetic Biomarkers

Epigenetic biomarkers can predict pre-term birth

Epigenetics are known to be molecular factors and processes around DNA that determine how genes behave. Epigenetic modifications are independent of DNA sequence and they can be caused by things such as toxicant exposure, poor nutrition and alcohol use that can also be inherited. Epigenetic biomarkers are considered promising to predict pre-term birth. Studies have shown that an early birth before 37 weeks of gestation can be fatal for infants. This is due to the reason that many who survive face a host of health issues including cognitive disabilities and cardiovascular problems that can follow them their entire lives.

Recently, researchers in the US found a signature in the cheek cells of mothers and fathers of preterm infants that may help develop a test to determine whether a pregnancy may end too early. It is believed that such a test could help prevent premature births and the many resulting health

impacts on infants. This can be achieved by alerting medical providers to the need for early intervention measures. In this proof of concept study, researchers documented more than 100 epigenetic biomarkers in mothers of preterm babies that were distinct from mothers of babies carried to term. They showed that fathers had fewer biomarkers. However, it was enough to indicate a likely paternal role in preterm birth. They also found that the preterm female babies carried more than 100 of these biomarkers, indicating the propensity to have a preterm baby may be passed down.

This study was published in Scientific Reports (Preterm birth buccal cell epigenetic biomarkers to facilitate preventative medicine. Scientific Reports, 2022; 12 (1) DOI: 10.1038/s41598-022-07262-9).

Food and Cancer Risk

Link between artificial sweeteners and cancer risk

It is known that artificial sweeteners reduce added sugar content and corresponding calories while maintaining sweetness. Thus, many food products and beverages containing artificial sweeteners are consumed by millions of people daily. However, the downside of such sweeteners is the safety of these additives that has been a subject of research.

Recently, a new study by the French researchers (Artificial sweeteners and cancer risk: Results from the NutriNet-Santé population-based cohort study. PLOS Medicine, March 24, 2022; DOI:

10.1371/journal.pmed.1003950) revealed important findings. some artificial sweeteners were found to be associated with increased cancer risk. To evaluate the potential carcinogenicity of artificial sweeteners, researchers analyzed data from 102,865 French adults participating in the NutriNet-Santé study. They found that enrollees consuming larger quantities of artificial sweeteners, particularly aspartame and acesulfame-K, had higher risk of overall cancer compared to non-consumers (hazard ratio 1.13,

95% confidence interval 1.03 to 1.25). Moreover, higher risks were observed for breast cancer and obesity-related cancers. These findings can pave the way for novel information in the future for the

re-evaluation of these food additives by health agencies. Compiled and Edited by Dr. Megha Agrawal and Dr. Shyamasri Biswas.







For all production related questions or sending your ads, please e-mail or call our production department: E-mail: sales@biotechkiosk.com; Phone: 386-518-9411.

THANK YOU!

